AIRCRAFT
TECHNICAL RECORD

Section 1. AIRFRAME LOG

aeroTRANSPORT®
www.aerotransport.com

R5.02F

CALIBRATION CARD
ALTIMETER

P/N: 5934PD-3 | C/N: A250 | S/N: 5K043

Standard Alt (Ft)	Alt Reading (Ft) @ Room Temp	Standard Alt (Ft)	Alt Reading (Ft) @ Room Temp
1,000	-15	14,000	-30
0	+5	16,000	-5
500	+10	18,000	+15
1,000	+10	20,000	
1,500	+15	22,000	
2,000	+15	25,000	
3,000	+15	30,000	
4,000	+5	35,000	
6,000	0	40,000	
8,000	-15	45,000	
10,000	-25	50,000	
12,000	-30		

Date: 11-21-19 | Tested By: SH | Inspected By:

FORM QA-A5 (B)

UNITED INSTRUMENTS, INC.

RT ® Publications MMX
920406-40-3
Canada
ansport.com

AIRCRAFT

1. Nationality and Registration:	N387LA
2. Manufacturer's designation:	DA 40 NG
3. Manufacturer's Serial Number:	40.NC087
4. Type Approval or Specification Number:	A47CE
5. Date of Manufacture:	2020
6. Aircraft Inspections cycle:	

DIAMOND AIRCRAFT INDUSTRIES INC.
D.O.T. APPROVED MANUFACTURER #161-93

Registration: N387LA
AC Serial Number: 40.NC087
Engine Serial Number: E4-A-00688
Prop Serial Number: 190966
Airframe Total Time: 3.5 HRS

- Total Time Airframe Brought forward from Flight Test Journey Log (DAI - Form Q-157) : 3.5 HRS
- Compass Swing Performed:
  - Date: 16 JAN 2020
  - Next Due: JAN 2021

FOR	N	30	60	E	120	150
STEER	001	030	060	090	121	152
FOR	S	210	240	W	300	330
STEER	181	210	241	270	301	331

- Static Pressure system and Primary Altimeter (G1000) have been inspected and tested in accordance with CAR Standard 571, Appendix B and 14 CFR 91.411
  - Test Date: 13 DEC 2019
  - Next Due: DEC 2021
- Stand By Altimeter:
  - Factory Test Date: 21 NOV 2019
  - Next Due: NOV 2021
- ATC Transponder & Altitude Reporting System(s) have been tested in Accordance with CAR Standard 571, Appendix F and 14 CFR 91.217 & 91.413.
  - Test Date: 13 DEC 2019
  - Next Due: DEC 2021
  - Programmed Registration: N387LA
  - Hex Code: N/A (U.S. Registration)
- The ELT was tested and inspected in Accordance with CAR Standard 571, Appendix G and 14 CFR 91.207(d)
  - Manufacturers Cert. date: 14/19
  - Installation Inspected: 21 JAN 2020
  - Battery due: JUL 2026
  - Next ELT inspection due: JAN 2021
  - ELT Programmed:
    - REG: N387LA
    - HEX: N/A
    - Country: 366 (USA)
    - Beacon ID: ADC6492640CA781
- Emergency Battery Pack : Replacement Due Date : DEC 2021
- Garmin G1000 NXi Installation:
  - Software System: 2948.11
  - Checklist File: N/A
  - Basemap Land 5.16
  - SafeTaxi Data: 30-JAN-2020
  - Terrain Data: 3.00
  - Obstacle Data: Expires 30-JAN-2020
  - Navigation Data: Expires 30-JAN-2020
  - Apt Directory: Expires 30-JAN-2020
  - FliteCharts Data: Expires 30-JAN-2020
  - IFR/VFR charts: 02-JAN-2020

DA QA 3
Inspector

JAN 2 2 2020
date

(continued next page)

DIAMOND AIRCRAFT INDUSTRIES INC.
D.O.T. APPROVED MANUFACTURER #161-93

Registration: N387LA
AC Serial Number: 40.NC087
Engine Serial Number: E4-A-00688
Prop Serial Number: 190966
Airframe Total Time: 3.5 HRS

- Following limitations as per DA 40 AMM Chapter 4 (subject to change with revision):

Component	Hours	Years	Next Due:
Essential Bus	1000	-N/A-	1000 hrs
Pitot-Static System	1000	2	1000 hrs or DEC 2021
Bonding System	1000	-N/A-	1000 hrs
Emergency Battery	-N/A-	2	DEC 2021
ECU Backup Battery	-N/A-	1	NOV 2020

- The following STC's are incorporated:
  - SA03366NY
- THIS AIRCRAFT WAS INSPECTED FOR CONFORMITY TO APPLICABLE COMPANY RELEASED DOCUMENTS (DRAWINGS, SPECIFICATIONS, CONCESSIONS).
- I HEREBY CERTIFY THAT THIS AIRCRAFT CONFORMS TO FAA TYPE CERTIFICATE A47CE Rev No. 16, AND IS IN A FIT AND SAFE STATE FOR FLIGHT.
- **Bi-weekly AWD check carried out to current revision 2020-01 all applicable AD's complied with**
- The work described above was carried out IAW the applicable Standard of Airworthiness.

DA QA 3
Inspector

JAN 2 2 2020
date

(Intentionally left blank below this point)

DIAMOND AIRCRAFT INDUSTRIES INC.
D.O.T. APPROVED MANUFACTURER #161-93

Registration: N387LA
AC Serial Number: 40.NC087
Engine Serial Number: E4-A-00688
Prop Serial Number: 190966
Airframe Total Time: 3.5 HRS

- Garmin G1000 NXi Installation:
  - Software System: 2948.11
  - Checklist File: N/A
  - Basemap Land 5.16
  - SafeTaxi Data: 26-MAR-2020
  - Terrain Data: 3.00
  - Obstacle Data: Expires 26-MAR-2020
  - Navigation Data: Expires 27-FEB-2020
  - Apt Directory: Expires 26-MAR-2020
  - FliteCharts Data: Expires 27-FEB-2020
  - IFR/VFR charts: 30-JAN-2020

DA Q 43

Inspector

JAN 2 9 2020

date

PAGE TOTALS

CARRY FORWARD to Top of Next Page

	NAME/ SIGNATURE	LICENCE: AME or AMO/ACA

Diamond AIRCRAFT

DIAMOND AIRCRAFT INDUSTRIES INC.
D.O.T. APPROVED MANUFACTURER #161-93

Registration: N387LA
AC Serial Number: 40.NC087
Engine Serial Number: E4-A-00688
Prop Serial Number: 190966
Airframe Total Time: 3.5 HRS

- Garmin G1000 NXi Installation:
  - Software System: 2948.11
  - Checklist File: N/A
  - Basemap Land 5.16
  - SafeTaxi Data: 26-MAR-2020
  - Terrain Data: 3.00
  - Obstacle Data: Expires 26-MAR-2020
  - Navigation Data: Expires 27-FEB-2020
  - Apt Directory: Expires 26-MAR-2020
  - FliteCharts Data: Expires 27-FEB-2020
  - IFR/VFR charts: 30-JAN-2020

DA Q 43
Inspector

JAN 2 9 2020
date

U.S. Standard Airworthiness Certificate, issued:

(Date) JAN 3 0 2020, has been installed in the Aircraft on behalf of FAA Farmingdale/Saddle Brook MIDO Section AIR-8A5 on:

(Date) JAN 3 0 2020

(Print) R. Solton (Signature)

DEPARTMENT OF TRANSPORT - MINISTÈRE DES TRANSPORTS
Délégué de l'Aviation civile
Canada
0363
Civil Aviation Delegate

PAGE TOTALS

CARRY FORWARD to Top of Next Page

Section 1: ...

DATE	AIR TIME			LANDINGS / CYCLES		DETAILS OF TASK (INSPECTION, REPAIRS & REPLA
	DAILY TOTAL HRS : MIN	TOTAL HOURS	MIN	DAILY TOTAL	TOTAL	
/ /						
CARRIED FORWARD ▶						

	N387LA	DATE: 12/11/2020
	ETT: 138.7 AFTT: 138.7 PTT: 138.7	TACH: 138.7

Inspected airframe, checked tires, brakes, reservoirs and lubed airframe per Diamond MM. Remove and replace nose wheel tire with tubeless Goodyear Flight Eagle LT 5.00x5 10 ply. Researched AD notes through 2020-25 and compliance sheet provided in logbooks. ELT tested per 91.207(d) and passed, ELT battery due July 2026. I certify this **Aircraft** has been inspected in accordance with an **Annual** inspection and was determined to be in an airworthy condition.

Alexander Hansen
A&P 3847469 IA

Hansen Maintenance 4001 Santa Anita, El Monte, CA 707-254-5545 Flying561@gmail.com	N387LA	DATE: 5/13/2021
	Airframe	TACH: 208.9

Bleed LH and RH brakes. Service reservoirs and secure reservoir tops. Operation check okay.

Alexander Hansen
A&P3847469 IA

SoCal Aircraft Maintenance 4015 Santa Anita Ave. El Monte CA, 91731	N387LA	DATE:06/14/2021
	ACTT: 228.3	TACH: 228.3

Inspected airframe, checked tires, brakes, and reservoirs and lubed airframe per Diamond AMM. Cleaned landing light lens. ELT battery due July 2026. AD run completed through bi-weekly 2021-12. All ADs complied with. Airframe inspected in accordance with a 100 hour inspection and found to be in airworthy condition.

Questle Davis
A&P# 2764594 Questle Davis

Hansen Maintenance 4001 Santa Anita, El Monte, CA 707-254-5545 Flying561@gmail.com	N387LA	DATE: 6/14/2021
	DA 40 NG SN 40.NC087 TT: 228.3 Austro E4-A SN E4-A-00688 MT MTV-6-R/190-69 Hub SN: 190966	TACH: 228.3

Inspected airframe in accordance with 14 CFR Part 43 Appendix D. Checked airworthiness directives through biweekly period 2021-12. Checked ELT per 91.207(d) and passed all tests. ELT battery expires JUL 2026. I certify that this **Airframe** has been inspected in accordance with and an **Annual** Inspection and has been determined to be in airworthy condition.

Alexander Hansen
A&P 3847469 IA

PAGE TOTALS ▶

CARRY FORWARD to Top of Next Page ▶

NAME/ SIGNATURE	LICENCE AME or AMO/ACA

SoCal Aircraft Maintenance 4015 Santa Anita Ave. El Monte CA, 91731	N387LA	DATE: 08/18/2021
	ACTT: 291.4 TTIS: 291.4 HOBBS: 373.4	ETT: 291.4 PTT: 291.4

Removed and replaced right main tire (Goodyear P/N: 156E06-1) with new per Beringer MM-ETSO-001 (Rev. 3) and MM-STC-009 (Rev. 5).

William Stickney
A&P3976676

SoCal Aircraft Maintenance 4015 Santa Anita Ave. El Monte CA, 91731 1 (626) 522-5101	N387LA	11/10/2021
	TACH: 327.3 HOBBS: 423.3	

Removed and replaced EECU batteries (qty 2) with new (P/N: LC-R127R2P). Functional check satisfactory. Next replacement due 10Nov2022.

William Stickney
A&P3976676IA

SoCal Aircraft Maintenance 4015 Santa Anita Ave. El Monte CA, 91731 1 (626) 522-5101	N387LA	11/29/2021
	TACH: 330.9 HOBBS: 429.0	

Removed and replaced emergency battery with new. Next replacement due 30Nov2023 or after use.

William Stickney
A&P3976676IA

Atlas Instruments LLC - FAA Repair Station #OD9R049Y

I certify that the Altimeter and Static System tests required by FAR 91.411 have been performed and found to comply with 14 CFR Part 43, Appendix "E". Altimeters has been tested to: 20,000 ft.

Aircraft N# 3874D Work Order No. 3-2300

Certificated Authority 11-22-21 Date

Atlas Instruments LLC - FAA Repair Station #OD9R049Y

I certify that the Transponder has been tested in accordance with FAR 91.413 and has been found to comply with 14 CFR Part 43, Appendix "F".

Aircraft N#_____ Work Order No. _____

Certificated Authority _____ Date _____

(562) 322-4841 www.atlasinstruments.net

Section 1: Airframe Log

DATE	AIR TIME				LANDINGS / CYCLES		DETAILS OF TASK (INSPECTION, REPAIRS & REPLACE
/ /	DAILY TOTAL		TOTAL		DAILY TOTAL	TOTAL	
CARRIED FORWARD	HRS	MIN	HOURS	MIN			

Atlas Instruments LLC - FAA Repair Station #OD9R049Y
I certify that the Altimeter and Static System tests required by FAR 91.411 have been performed and found to comply with 14 CFR Part 43, Appendix "E". Altimeters has been tested to 20,000 ft.
Aircraft N# 387LA Work Order No. 3-2300
Certificated Authority — Date 11-22-21

Atlas Instruments LLC - FAA Repair Station #OD9R049Y
I certify that the Transponder has been tested in accordance with FAR 91.413 and has been found to comply with 14 CFR Part 43, Appendix "F"
Aircraft N# 387LA Work Order No. 3-2300
Certificated Authority — Date 11-22-21
(562) 322-4841 www.atlasinstruments.net

MAKE: Diamond
MODEL: DA40NG
S/N: 40.NC087
REG. NO: N387LA
WORK ORDER: 4211

Aero City Maintenance
2901 East Spring St. Suite A
Long Beach, CA 90806
Phone: 562-912-4263

DATE: 3/15/2022
A/C TSN: 367.5
TACH: 367.5

Airframe Entries

Visually inspected RACC system due to system not functioning and found loose main ground wire in tail section. Tightened up ground bolt and operation checked good using Diamond DA40NG AMM as a guide.... Serviced engine coolant as required due to intermittent low coolant message using Diamond DA40NG AMM as a guide. Operation/leak check good.

Technicians Who Worked On The Items Listed Above:
Richard Formica

DATE: 3/15/2022 SIGNED:
Richard Formica, License: A&P 3702089 IA
Work Order: 4211
Printed by EBis 3 (datcomedia.com)

MAKE: Diamond
MODEL: DA40NG
S/N: 40.NC087
REG. NO: N387LA
WORK ORDER: 4234

Aero City Maintenance
2901 East Spring St. Suite A
Long Beach, CA 90806
Phone: 562-912-4263

DATE: 5/10/2022
A/C TSN: 384.8
TACH: 384.8

Airframe Entries

Complied with 100Hr/Annual inspection using Diamond Aircraft DA40NG AMM chapter 5 and FAR part 43 Appendix D checklist as a guide. Complied with 100Hr lubrication using DA40NG AMM CH 12-10-00 as a guide.... All applicable airworthiness Directives have been researched through bi-weekly issue 2022-09.... Complied with ELT annual inspection PER FAR 91.207 (d) and ICA ARTEX MM ME406 570-1600 CH 25-62. ELT battery due 07/2026 Visual and operational test with no defects noted at this time.... Replaced engine fuel filter PN WK724_3 due to annual replacement using Diamond DA40-NG AMM Ch.28 as a guide. Operation/leak check good.... Replaced RH strobe light assembly PN: 01-0771733-11 SN 01948 (OLD SN: 02685) due to internal failure of strobe light using Diamond DA40-NG AMM Ch.33 as a guide. Operation check good.... Replaced LH & RH fuel cap lock nuts PN: BN175-M8-ZP (X2) due to loose locking feature using Diamond DA40-NG AMM Ch. 28 as a guide.... Replaced LH main tire PN: 00156E06-1 SN:20840059 (old SN: 90942316) due to flat spots using Beringer MM Ch. 3 as a guide. Leak check good.... Replaced LH & RH brake pads PN: POT-010(x4) due to wear using Beringer MM Ch.3 as a guide. Operation check good.... Replaced cabin heat exchanger coolant hose PN D44-2146-00-02 and attaching hose clamps as required due to chafing and coolant leaks using Diamond DA40-NG AMM Ch.75 as a guide. Pressure leak test good. Operation/leak check good.... Replaced auxiliary alternator attaching hardware and tensioned belt as required using Diamond DA40-NG AMM Ch.24 as a guide.... Replaced good.... Replaced ECU backup batteries PN: NP7-12 (x2) due to annual replacement using Diamond DA40-NG AMM Ch. 24 as a guide. Operation check auxiliary alternator exciter batteries PN: NP1.2-12 (x2) using Diamond DA40-NG AMM Ch. 24 as a guide. Operation check good.

Technicians Who Worked On The Items Listed Above:
Andres Guzman, Jon Shea, Michael Moreno, Richard Formica

I certify that this Aircraft has been inspected in accordance with Annual inspection checklist and was determined to be in airworthy condition.

DATE: 5/10/2022 SIGNED:
Richard Formica, License: A&P 3702089 IA
Work Order: 4234
Printed by EBis 3 (datcomedia.com)

PF TOTALS

CARRY FORWARD to Top of Next Page

MAKE: Diamond
MODEL: DA40NG
S/N: 40.NC087
REG. NO: N387LA
WORK ORDER: 4301

Aero City Maintenance
2901 East Spring St. Suite A
Long Beach, CA 90806
Phone: 562-912-4263

Airframe Entries

DATE: 9/8/2022
A/C TSN: 446.7
TACH: 446.7

Serviced engine coolant system with 24oz of coolant, performed pressure test with no defects noted at this time. Using Diamond DA40-NG AMM Ch.75 as a guide. Operation/leak check good.... Adjusted turn coordination instrument alignment bubble as required per customer request. Operation check good.... Adjusted NLG pivot tension as required per customer request using Diamond DA40-NG AMM Ch.32 as a guide.... Replaced engine auxiliary alternator mounting hardware as required due to a damaged hardware using Diamond DA40NG WI-RSB 40NG-052 as a guide. Operation check good.

Technicians Who Worked On The Items Listed Above:
Andres Almazan-Unoistegui, Richard Formica

DATE: 9/8/2022 SIGNED:
Richard Formica, License: A&P 3702089 IA
Work Order: 4301
Printed by EBis 3 (datcomedia.com)

MAKE: Diamond
MODEL: DA40NG
S/N: 40.NC087
REG. NO: N387LA
WORK ORDER: 4362

Aero City Maintenance
2901 East Spring St. Suite A
Long Beach, CA 90806
Phone: 562-912-4263

Airframe Entries

DATE: 12/13/2022
A/C TSN: 484.6
TACH: 484.6

Replaced ECU batteries PN NP7-12 (x2) using Diamond DA40 NG AMM Ch. 24 as a guide. Operation check good.... Replaced fuel filter PN: wk724_3 due to 50 hour servicing using Diamond DA40 NG AMM Ch. 28 as a guide. Operation/leak check good.... Completed.... Removed & re-sealed fuel filter housing lines due to fuel leaking from lines using Diamond DA 40 NG AMM Ch. 28 as a guide. Operation/leak check good.

Technicians Who Worked On The Items Listed Above:
Andres Guzman

DATE: 12/13/2022 SIGNED:
Andres Guzman, A&P: A&P 4420942
Work Order: 4362
Printed by EBis 3 (datcomedia.com)

MAKE: Diamond
MODEL: DA40NG
S/N: 40.NC087
REG. NO: N387LA
WORK ORDER: 4409

Aero City Maintenance
2901 East Spring St. Suite A
Long Beach, CA 90806
Phone: 562-912-4263

Airframe Entries

DATE: 3/30/2023
A/C TSN: 509.8
TACH: 509.8

Complied with AD2022-13-06 by checking baggage net DOM using MSB40NG-065/1 as a guide. Baggage net part number/ DOM does not apply.

Re-adhered RH wing root seal with terostat as required using Diamond DA40NG AMM Ch.55 as a guide.

Replaced RH main tire PN: 156E06-1 SN: 22015315 (old SN: 10560078) due to wear using Diamond DA40NG AMM Ch.32 & Beringer STC-009 as a guide.

Technicians Who Worked On The Items Listed Above:
Andres Almazan-Unoistegui, Michael Moreno

DATE: 3/30/2023 SIGNED:
Richard Formica, License: A&P 3702089 IA
Work Order: 4409
Printed by EBis 3 (datcomedia.com)

01050 (09-20-2023)

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA40NG
S/N: 40.NC087
REG. NO:: N387LA
ENGINE MAKE: AUSTRO
ENGINE MODEL: E4
ENGINE SN: E4-A-00688

MYFLIGHT
400 Hardon Ave
Orlando , FL 32803

Page 1 / 1
W/O #: 01050
DATE: 09-20-2023
A/C TT: 743.0
A/C Tach: 743.0
ENG TT: 743.0

Entries

7 REPLACED REGULATOR WITH NEW , OPS CK. GOOD .

I certify that this aircraft has been inspected for the work preformed above and was determined to be in airworthy condition, and returned to service.

DATE: 09-20-2023 SIGNED:
Kerry Delhomme
A&P: 3473912
WORK ORDER: 01050
Printed by EBIS (EBISCloud.com)

Section 1: Airframe Log

DATE	AIR TIME				LANDINGS / CYCLES		DETAILS OF TASK (INSPECTION, REPAIRS & REPLA
	DAILY TOTAL		TOTAL		DAILY TOTAL	TOTAL	
CARRIED FORWARD	HRS	MIN	HOURS	MIN			

MYFLIGHT

N387LA Diamond DA40 Diamond Star S/N 40.NC087
Hobbs: 685.1 TACH: 833.9 Next Due: 633.9

Airframe Entry:

-100/300hr INSP complied with using Diamond Aircraft inspection checklist and airplane maintenance manual.
-All AD's checked through current.
-Complied with AD16-23-03 turbo V band clamp inspection IAW MSB 40NG-046/2. No defects noted.

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

Kerry Delhomme # 3473912 Date: **4/11/23** Signature: K-7DL

I CERTIFY THAT THIS (AIRCRAFT) (ENGINE) (PROP) HAS BEEN INSPECTED IN ACCORDANCE WITH FAR AC 43-13 APP(D) (ANNUAL INSP.) OR (100HRS. INSP) AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION FOR RETURN TO SERVICE.

TACH TIME 643.5 HOBBS TIME N/A

TOTAL TIME IN SERVICE 643.5

TTSMO _____ TTSTO _____

SIGNATURE Thomas W. Glanton

INSP. AUTHORIZATION A&P 1885137 IA

DATE OF INSPECTION 06/03/2023

PAGE TOTALS

CARRY FORWARD to Top of Next Page

NAME/ SIGNATURE | LICENCE: AME or AMO/ACA

MYFLIGHT

Date: 6-3-23
N387LA Diamond DA40 Diamond Star
S/N: 40.NC087 Hobbs: 836.8 TTIS: 643.5 TACH: 643.5 Next Due: 733.9

Airframe Entry:

-100 INSP complied with using Diamond Aircraft inspection checklist and airplane maintenance manual.
-All AD's checked through current.
-Complied with AD16-23-03 turbo V band clamp inspection IAW MSB 40NG-046/2.
- Replaced V-Band clamp.
- ECU replacement Due 12/23
- Adjusted NLG pivot tension.
- ELT battery Due 7/26.
- Emergency Battery replacement Due 12/23.

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

Kerry Delhomme # 3473912 Date: **6/3/23** Signature: K-7DL

01050 (08-24-2023)

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA40NG
S/N: 40.NC087
REG. NO.: N387LA

MYFLIGHT 400 Hardon Ave Orlando , FL 32803

Page 1 / 1
W/O #: 01050
DATE: 08-24-2023
A/C TT: 743.0
A/C Tach: 743.0

Entries

1 -C/W 100 HR AIRFRAME INSPECTION USING DIAMOND INSPECTION CHECKLIST AND MM AS A GUIDE.
-ALL AD'S CHECKED, AND COMPLIED WITH AT THIS TIME
5 REMOVED AND REPLACED LH AND RH BREAK LININGS IAW MM

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

DATE: 08-24-2023 SIGNED: Matthew Hughes
A&P: 3705688

WORK ORDER: 01050
Printed by EBIS (EBISCloud.com)

01072 (09-29-2023)

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA40NG
S/N: 40.NC087
REG. NO.: N387LA

MYFLIGHT 400 Hardon Ave Orlando , FL 32803

Page 1 / 1
W/O #: 01072
DATE: 09-29-2023
A/C TT: 802.1
A/C Tach: 802.1

Entries

1 C/W WITH ELT INSP. PER FAR 91.207 (D).
NEXT INSP DUE AT ANNUAL.

I certify that this aircraft has been inspected for the work preformed above and was determined to be in airworthy condition, and returned to service.

DATE: 09-29-2023 SIGNED: K-7DL
Kerry Delhomme
A&P: 3473912

WORK ORDER: 01072
Printed by EBIS (EBISCloud.com)

	NAME/ SIGNATURE	LICENCE: AME or AMO/ACA

MYFLIGHT

Date: 6-3-23
N387LA Diamond DA40 Diamond Star
S/N: 40.NC087 Hobbs: 836.8 TTIS: 643.5 TACH: 643.5 Next Due: 733.9

Airframe Entry:

-100 INSP complied with using Diamond Aircraft inspection checklist and airplane maintenance manual.
-All AD's checked through current.
-Complied with AD16-23-03 turbo V band clamp inspection IAW MSB 40NG-046/2.
- Replaced V-Band clamp.
- ECU replacement Due 12/23
- Adjusted NLG pivot tension.
- ELT battery Due 7/26.
- Emergency Battery replacement Due 12/23.

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

Kerry Delhomme # 3473912 Date: **6/3/23** Signature: KDL

01050 (08-24-2023) Page 1 / 1

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA40NG
S/N: 40.NC087
REG. NO:: N387LA

MYFLIGHT
400 Herdon Ave
Orlando , FL 32803

W/O #: 01050
DATE: 08-24-2023
A/C TT: 743.0
A/C Tach: 743.0

Entries

1 -C/W 100 HR AIRFRAME INSPECTION USING DIAMOND INSPECTION CHECKLIST AND MM AS A GUIDE.
-ALL AD'S CHECKED, AND COMPLIED WITH AT THIS TIME

5 REMOVED AND REPLACED LH AND RH BREAK LININGS IAW MM

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

DATE: 08-24-2023 SIGNED: Matthew Hughes
A&P: 3705688

WORK ORDER: 01050
Printed by EBIS (EBISCloud.com)

01072 (09-29-2023) Page 1 / 1

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA40NG
S/N: 40.NC087
REG. NO:: N387LA

MYFLIGHT
400 Herdon Ave
Orlando , FL 32803

W/O #: 01072
DATE: 09-29-2023
A/C TT: 802.1
A/C Tach: 802.1

Entries

1 C/W WITH ELT INSP. PER FAR 91.207 (D).
NEXT INSP DUE AT ANNUAL.

I certify that this aircraft has been inspected for the work preformed above and was determined to be in airworthy condition, and returned to service.

DATE: 09-29-2023 SIGNED: KDL
Kerry Delhomme
A&P: 3473912

WORK ORDER: 01072
Printed by EBIS (EBISCloud.com)

DATE / /	AIR TIME: DAILY TOTAL HRS	AIR TIME: DAILY TOTAL MIN	AIR TIME: TOTAL HOURS	AIR TIME: TOTAL MIN	LANDINGS / CYCLES: DAILY TOTAL	LANDINGS / CYCLES: TOTAL	DETAILS OF TASK (INSPECTION, REPAIRS & REPLA	NAME/ SIGNATURE	LICENCE AME or AMO/ACA
CARRIED FORWARD ▶									

Page 1 / 1

01077 (10-06-2023)

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA40NG
S/N: 40.NC087
REG. NO:: N387LA

MYFLIGHT 400 Herdon Ave Orlando , FL 32803

W/O #: 01077
DATE: 10-06-2023
A/C TT:
A/C Tach: 813.8

Entries

1 REMOVED AND REPLACED LH AND RH MLG TIRES IAW DIAMOND AND BERINGER MM

I certify that this aircraft has been inspected for the work preformed above and was determined to be in airworthy condition, and returned to service.

DATE: 10-06-2023 SIGNED: Matthew Hughes
A&P: 3705688

WORK ORDER: 01077
Printed by EBIS (EBISCloud.com)

Page 1 / 1

01079 (10-13-2023)

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA40NG
S/N: 40.NC087
REG. NO:: N387LA

MYFLIGHT 400 Herdon Ave Orlando , FL 32803

W/O #: 01079
DATE: 10-13-2023
A/C TT: 828.1
A/C Tach: 828.1

Entries

1 -C/W 300 HR AIRFRAME INSPECTION USING DIAMOND INSPECTION CHECKLIST AND MM AS A GUIDE.
-ALL AD'S CHECKED, AND COMPLIED WITH AT THIS TIME

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

DATE: 10-13-2023 SIGNED: Kerry Delhomme
A&P: 3473912

WORK ORDER: 01079
Printed by EBIS (EBISCloud.com)

Page 1 / 1

01074 (11-30-2023)

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA40NG
S/N: 40.NC087
REG. NO:: N387LA

MYFLIGHT 400 Herdon Ave Orlando , FL 32803

W/O #: 01074
DATE: 11-30-2023
A/C TT: 906.4
A/C Tach: 906.4

Entries

1 -C/W 100 HR INSPECTION USING DIAMOND INSPECTION CHECKLIST AND MM AS A GUIDE.
-ALL AD'S CHECKED, AND COMPLIED WITH AT THIS TIME

6 C/W IFR CERTS PER DIAMOND .

9 REMOVED AND REPLACED LH AND RH FUEL AND NO PUSH PLACARDS IAW DIAMOND MM CHAPTER 11

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

DATE: 11-30-2023 SIGNED: Matthew Hughes
A&P: 3705688

WORK ORDER: 01074
Printed by EBIS (EBISCloud.com)

PAGE TOTALS ▶ CARRY FORWARD to Top of Next Page ▶

IFR N387LA

The tests required by FAR 91.411, 91.413, & 91.217 have been performed in accordance with FAR 43 appendix E paragraphs (a), (b), & (c) and appendix F.

W.O. # RS1465 Tested to 20k feet

Altimeter Model 5934AD3 s/n 518043 (pilot)

Air Data Computer GDC72 s/n 455002163

Transponder GTX345R s/n 3EH025898

Altitude Reporter GDC72 s/n 455002163

Static System (pilot) OK (co-pilot) N-A

Signed _____ Date 11-28-23

Volusia Aviation, Inc. 386-767-6763 FAA CRS # JL5R476X

ALTIMETER N387LA

Altitude	Scale Error	Tol ±	Friction ±	Case Leak 18,000' ± 100'
-1000		20	-	Hysteresis ±75'
0		20	-	Altitude
500		20	-	40% 8000 10
1000	+1	20	10 70	60% 10000 10
1500		25	-	After Effect 10 ±30'
2000		30	18 70	Barometric Scale Difference
3000		30	-	28.10 -1730 -1727
4000		35	10 70	28.50 -1340 -1340
5000	-	-	-	29.00 -865 -863
6000		40	-	29.50 -395 -392
8000		65	-	29.92 0 0
10000	-1	80	10 80	30.50 530 531
12000	-1	90	-	30.80 875 893
14000		100	-	30.99 978 974
15000	-	-	20 90	Altimeter S/N 518043
16000		110	-	Make United Model/ Part # 5934AD3
18000		125	-	Master Altimeter P/N & S/N
20000		138	40 100	124-000064118254
25000		148	-	Date Tested 11-28-23
30000		158	120	Test Pressure 180
35000		180	140	Test Performed By
40000		205	160	Certificate # JL5R476X
45000		255	-	
50000		280	-	

Tested in compliance with FAA FAR 43 Appendix E

Calibrated to 20K ft. W.O. # RS 1465

Volusia Aviation, Inc. 923 Bevils Road South Daytona, FL 32119 FAA CRS # JL5R476X

386-767-6763

01157 (02-05-2024)

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA40NG
S/N: 40.NC087
REG. NO:: N387LA

MYFLIGHT 400 Herdon Ave Orlando , FL 32803

W/O #: 01157
DATE: 02-05-2024
A/C TT: 1006.8
A/C Tach: 1006.8

Entries

1 -C/W 100 HR AIRFRAME INSPECTION USING DIAMOND INSPECTION CHECKLIST AND MM AS A GUIDE.
-ALL AD'S CHECKED, AND COMPLIED WITH AT THIS TIME
-NEXT INSP DUE @ 1106.4

5 REPLACED MAIN TIRES WITH NEW (156E06-1)
INSTALLED SHIMS TO MAIN WHEELS TO ADJUST CAMBER PER DIAMOND MM 32-00-00.

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

DATE: 02-05-2024 SIGNED: Matthew Hughes
A&P: 3705688

WORK ORDER: 01157
Printed by EBIS (EBISCloud.com)

DATE	AIR TIME				LANDINGS / CYCLES	
	DAILY TOTAL		TOTAL		DAILY TOTAL	TOTAL
/ /	HRS	MIN	HOURS	MIN		
CARRIED FORWARD ▶						

DETAILS OF TASK (INSPECTION, REPAIRS & REPLA

01125 (04-04-2024) Page 1 / 1

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA-40 NG
S/N: 40.NC087
REG. NO: N387LA

MYFLIGHT

400 Herdon Ave
Orlando , FL 32803

W/O #: 01125
DATE: 04-04-2024
A/C TT: 1200.6
A/C Tach: 1200.6

Entries

1 -C/W 100 HR AIRFRAME INSPECTION USING DIAMOND INSPECTION CHECKLIST AND MM AS A GUIDE.
-ALL AD'S CHECKED, AND COMPLIED WITH AT THIS TIME.
-NEXT INSP DUE @ 1200.6
5 REPLACED RAAC CONTROL UNIT PER DIAMOND MM
8 ADJUSTED TRIM FRICTION BLOCK PER DIAMOND MM. OPS CHECK GOOD .
11 REPLACED ECU BACK UP BATTERIES PER DIAMOND CHECKLIST.
NEXT DUE 4/25
12 REPLACED EMERGENCY BATTERY PACK PER DIAMOND CHECKLIST AND MM.
NEXT DUE 4/26
13 REPLACED RAAC ALTERNATOR BRUSHES AND EXCITATION BATTERIES PER DIAMOND MM. OPS CK GOOD.
14 REPLACED BRAKE FLUID ON LH AND RH BRAKE ASSY PER DIAMOND MM 12-10-00. LK AND OPS CHK GOOD.
15 REPLACED LH AND RH BRAKE PADS PER DIAMOND MM 32-00-00. OPS CK GOOD

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

DATE: 04-04-2024 SIGNED: Kerry Delhomme
A&P: 3473912

WORK ORDER: 01125
Printed by EBIS (EBISCloud.com)

01223 (04-24-2024) Page 1 / 1

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA-40 NG
S/N: 40.NC087
REG. NO: N387LA

MYFLIGHT

400 Herdon Ave
Orlando , FL 32803

W/O #: 01223
DATE: 04-24-2024
A/C TT: 1138.6
A/C Tach: 1138.6

Entries

1 REMOVED AND REPLACED NOSE LANDING GEAR TIRE IAW DIAMOND MM CHAPTER 32

I certify that this aircraft has been inspected for the work preformed above and was determined to be in airworthy condition, and returned to service.

DATE: 04-24-2024 SIGNED: Matthew Hughes
A&P: 3705688

WORK ORDER: 01223
Printed by EBIS (EBISCloud.com)

01223 (04-25-2024) Page 1 / 1

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA-40 NG
S/N: 40.NC087
REG. NO: N387LA

MYFLIGHT

400 Herdon Ave
Orlando , FL 32803

W/O #: 01223
DATE: 04-25-2024
A/C TT: 1138.6
A/C Tach: 1138.6

Entries

1 REMOVED AND REPLACED NOSE LANDING GEAR TIRE IAW DIAMOND MM CHAPTER 32

I certify that this aircraft has been inspected for the work preformed above and was determined to be in airworthy condition, and returned to service.

DATE: 04-25-2024 SIGNED: Matthew Hughes
A&P: 3705688

WORK ORDER: 01223
Printed by EBIS (EBISCloud.com)

PAGE TOTALS ▶ CARRY FORWARD to Top of Next Page ▶

7

NAME / SIGNATURE | LICENCE AME or AMO/ACA

01242 (05-31-2024) Page 1 / 1

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA-40 NG
S/N: 40.NC087
REG. NO: N387LA

MYFLIGHT

400 Herdon Ave
Orlando , FL 32803

W/O #: 01242
DATE: 05-31-2024
A/C TT: 1199.4
A/C Tach: 1199.4

Entries

1 -C/W 100 (600) HR INSPECTION USING DIAMOND INSPECTION CHECKLIST AND MM AS A GUIDE.
-ALL AD'S CHECKED, AND COMPLIED WITH AT THIS TIME.
4 -REMOVED AND REPLACED AUXILIARY ALTERNATOR BRUSHES IAW DIAMOND AND AUSTRO MM.
5 -REMOVED AND REPLACED ADDITIONAL ALTERNATOR VOLTAGE REGULATOR WITH NEW IAW DIAMOND AND AUSTRO MM. S/N 80Y87007
-AC OPS CHECK GOOD, NO DISCREPANCIES NOTED.
6 REMOVED AND REPLACED MOTOR FOR PEDDLE ADJUSTMENT MECHANISM IAW DIAMOND MM.
7 ELT TESTED AND INSPECTED IN ACCORDANCE WITH CAR STANDARD 571. APPENDIX G AND 14 CFR 91.207(d).

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

DATE: 05-31-2024 SIGNED: Matthew Hughes
A&P: 3705688

WORK ORDER: 01242
Printed by EBIS (EBISCloud.com)

I CERTIFY THAT THIS (AIRCRAFT) (ENGINE) (PROP)
HAS BEEN INSPECTED IN ACCORDANCE WITH FAR AC
43-13 APP(D) (ANNUAL INSPECTION) OR (100HRS. INSP.
AND WAS DETERMINED TO BE IN AIRWPRTHY CONDITION
FOR RETURN TO SERVICE.
TACH TIME 1199.4 HOBBS TIME N/A
TOTAL TIME IN SERVICE 1199.4 TTOE 1199.4
TTSMO N/A TTSTO N/A
SIGNATURE Thorren W Blank
INSP. AUTHORIZATION A&P 1885137 IA
DATE OF INSPECTION 06-01-2024

Section 1: Airc

DATE	AIR TIME				LANDINGS / CYCLES		DETAILS OF TASK (INSPECTION, REPAIRS & REPLA
	DAILY TOTAL		TOTAL		DAILY TOTAL	TOTAL	
/ /	HRS	MIN	HOURS	MIN			
CARRIED FORWARD ▶							

N387LA

ALTIMETER

Altitude	Scale Error	Tol ±	Friction ±	Case Leak 18,000'	0 ± 100'
-1000		20	-	Hysteresis ±75'	
0		20	-	Altitude	
500		20	-	40% 8000	10
1000		20	10 70	50% 10000	18
1500		25	-	After Effect 10 ±20'	
2000		30	10 70	Barometric Scale Difference	
3000		30	-	28.10 = 1730	-1727
4000		35	10 70	28.50 = 1345	-1340
5000		-	-	29.00 = 885	-883
6000		40	-	29.50 = 485	-392
8000		80	-	29.92 0	0
10000		80	10 80	30.50 536	531
12000		90	-	30.90 895	893
14000		100	-	30.99 975	974
15000		-	10 90	Altimeter S/N 518043	
16000		110	-	Make Model Serial Part #	
18000		120	-	20 Unit 5934AD-3	
20000		130	-	Master Altimeter P/N & S/N	
22000		140	-	124-00008/418254	
25000		155	120	Date Tested 6-24-25	
30000		180	140	Technician	
35000		205	160	Repair Certificate # JL5R476X	
40000		230	180		
45000		255	-		
50000		280	-		

Tested in accordance with FAA FAR 43 Appendix E&C
Calibrated to 20 K FL W.O. # 2659
Volusia Aviation, Inc. 923 Bevilla Road South Daytona, FL 32119 FAA CRS # JL5R476X
386-767-6763

N387LA

IFR

The tests required by FAR 91.411, 91.413, & 91.217 have been performed in accordance with FAR 43 appendix E paragraphs (a), (b), & (c) and appendix F.

W.O. # RS 2659 N Number 387LA Tested to 20 K FT

Altimter Model # 5934AD-3 s/n 518043

#1 Air Data Computer Model # GDC 72 s/n 4550002163

Transponder Model # GTX 345R s/n 3E#025898

Altitude Reporter Model # GDC 74 s/n 4550002163

Static System (pilot) OK (co-pilot) NA

Signed _____ Date 6.2425

Volusia Aviation, Inc. 386-767-6763 FAA CRS # JL5R476X

PAGE TOTALS ▶

CARRY FORWARD to Top of Next Page ▶

NAME/ SIGNATURE	LICENCE AME or AMO/ACA

01663 (07-17-2025) Page 1 / 2

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA-40 NG
S/N: 40.NC087
REG. NO: N387LA

MYFLIGHT

400 Herdon Ave
Orlando , FL 32803

W/O #: 01663
DATE: 07-17-2025
A/C TT: 1398.9
A/C Tach: 1398.9

Entries

1 -C/W 100HR / ANNUAL AIRFRAME INSPECTION PER DIAMOND DA40 AMM 05-20. ENGINE AIR FILTER REPLACED. AD CHECK SATISFACTORY.
6 COMPLIED WITH MSB40NG-84/1 ACTIONS TO PREVENT PASSENGER DOOR SEPARATION. TERMINATING ACTIONS COMPLETED. NO FURTHER ACTION REQUIRED.
10 -EMERGENCY BACKUP BATTERY REPLACEMENT DUE APRIL 2026.
11 IFR CERTS COMPLETED BY VOLUSIA AVIATION 24 JUN 2025.
12 -REMOVED AND REPLACED ECU BACKUP BATTERIES WITH NEW PER DIAMOND DA40NG AMM 24-31.
13 -REMOVED AND REPLACED SECONDARY ALTERNATOR EXCITATION BATTERIES WITH NEW PER DIAMOND DA40NG AMM 24-31.
14 -INSPECTED AND TESTED ELT PER DIAMOND DA40NG AMM 25-60 AND 14 CFR 91.207. -ELT BATTERY REPLACEMENT JULY 2026.
17 PERFORMED 1000HR/4YR BONDING AND STATIC DISCHARGE SYSTEM CHECK IAW DIAMOND DA40 AMM CHAPTER 51-60; RESISTANCE MEASUREMENTS GOOD.
18 1000HR ESSENTIAL BUS FUNCTION CHECK WAS PERFORMED, I/AW DIAMOND MM CHAPT. 24-60, FUNCTIONAL TEST OK
21 APPLIED TOUCH-UP PAINT TO AFFECTED AREAS ON WING LEADING EDGES PER DIAMOND DA40 AMM 51-20.
22 -REMOVED AND REPLACED NLG STOP PLATE, P/N: D41-3223-00-51, WITH NEW IAW DA40NG MM CH. 32-20.
24 REPAINTED CHAFED AREA ON UPPER FLAP SURACE PER DIAMOND DA40 AMM 51-20.
25 RH FLAP HORN BONDING STRAP WAS REMOVED AND REPLACED WTH NEW, I/A/W DIAMOND MM CHAPT 57-60
26 -REMOVED AND REPLACED LH AND RH BRAKE LININGS WITH NEW IAW BERINGER MM-01-003.
29 BLED BRAKE SYSTEM PER DIAMOND DA40 AMM 32-40; BRAKE PEDAL RESPONSE CORRECTED.
33 REMOVED AND REPLACED FUEL PUMP TOGGLE SWITCH WITH NEW PER DIAMOND DA40 AMM 20-30. OPS CHECK GOOD.

01663 (07-17-2025) Page 2 / 2

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

DATE: 07-17-2025 SIGNED: Adam Delacerda A&P: 4588515

WORK ORDER: 01663
Printed by EBIS (EBISCloud.com)

01663 (07-17-2025) Page 1 / 1

MAKE: DIAMOND AIRCRAFT INDUSTRIES
MODEL: DA-40 NG
S/N: 40.NC087
REG. NO: N387LA

MYFLIGHT

400 Herdon Ave
Orlando , FL 32803

W/O #: 01663
DATE: 07-17-2025
A/C TT: 1398.9
A/C Tach: 1398.9

Entries

9 COMPLIED WITH 5 YEAR AILERON/FLAP SHORT PUSHROD BORESCOPE EXAMINATION AS PER DIAMOND DA40NG AMM. NO DEFECTS NOTED AT THIS TIME.
15 REMOVED AND REPLACED FUEL CAP SEALS ON BOTH SIDES I.A.W DIAMOND DA40NG AMM AND AMM-TR-25-02 TEMPORARY REVISION.
23 REMOVED AND REPLACED BOTH RH/LH FLAP HORNS, AND LH MASS BALANCE HORN WITH NEW HORNS, I.A.W DIAMOND DA40-NG AMM CHAPTER 57.
28 REMOVED AND REPLACED NLG FORK COLLAR BUSHINGS I.A.W DIAMOND DA40NG AMM, CHAPTER 32-20.
31 REMOVED AND REPLACED OUTMOST FLAP HINGE ON LH SIDE WITH NEW HINGE, I/A/W DIAMOND DA40NG AMM.

I certify that this Airframe has been inspected IAW 14CFR Part 43 Appendix D 100hr inspection and was determined to be in airworthy condition.

DATE: 07-17-2025 SIGNED: Joel Mastrapa A&P: 5003987

WORK ORDER: 01663
Printed by EBIS (EBISCloud.com)

Section 1: Airframe Log

DATE / /	AIR TIME				LANDINGS / CYCLES		DETAILS OF TASK (INSPECTION, REPAIRS & REPLA
	DAILY TOTAL		TOTAL		DAILY TOTAL	TOTAL	
	HRS	MIN	HOURS	MIN			
CARRIED FORWARD							

FIXED WING
AVIATION MAINTENANCE

Fixed Wing Aviation Maintenance
Lakeland Linder Regional Airport (KLAL)
3454 Airfield Drive West Lakeland, FL 33811
www.fixedwingaviation.com 863-606-5757

Date: 6/10/2024; Aircraft: N387LA; Type: DA40 NG; S/N: 40.NC087; Hobbs: 1576.80; Tach: 1216.00; Total Time: 1216.00

Airframe log book entry:
-R&R A/C assembly to facilitate repair, inspected for leaks, repaired leaks, and re-serviced as required. Completed ops check. No further issues noted at this time.

The above work was performed in accordance with current regulations of the Federal Aviation Administration and is approved for return to service pertaining to work performed.

Steve Miller _____ A&P 2700197

I CERTIFY THAT THIS (AIRCRAFT) (ENGINE) (PROP)

HAS BEEN INSPECTED IN ACCORDANCE WITH FAR AC

43-13 APP(D) (ANNUAL INSPECTION) OR (100HRS. INSP.

AND WAS DETERMINED TO BE IN AIRWPRTHY CONDITIO

FOR RETURN TO SERVICE.

TACH TIME 1398.9 *HOBBS TIME* N/A

TOTAL TIME IN SERVICE 1398.9 *TTOE* _____

TTSMO N/A *TTSTO* N/A

SIGNATURE Shawn W Blunk

INSP. AUTHORIZATION A&P 1885137 IA

DATE OF INSPECTION 06/11/23

PAGE TOTALS							CARRY FORWARD to Top of Next Page